



City of Raymore

100 Municipal Circle • Raymore, MO. 64083

Phone • 816-892-3045 • Fax • 816-892-3093

ADDENDUM NO. 1

2017 Curb Replacement Project: 17-275-201

All plan holders are hereby notified and agree by signature below, that the bid includes consideration of the following changes, amendments, and/or clarifications and costs associated with these changes and are included in the bid.

Addendum No. 1 - Appendix A

Update Appendix A - Section 6 "SPECIAL CONDITIONS" as follows:

Replace 'Curb Replacement Modified Straight Back, Modified Roll Back and Roll Back' with the following:

- *Curb Replacement Modified Straight Back, Modified Roll Back and Roll Back:* The unit price named in the bid shall be for the linear feet of curb & gutter replaced. The unit price named in the bid shall cover all costs in connection therewith for both modified straight back (see attached detail), modified roll back (reduced back of curb height at selected driveways entrances) and roll back curb, including: doweling into existing curb, installation of new curb and protection of the new curb during the curing process. Curb replacement will be in several areas of varying lengths per street. Concrete curb shall be an approved KCM MB 4K mixture. Any required detour or road closure signage or other required signage shall be subsidiary to this bid item. **Weather permitting curb shall be replaced within 24 hours of existing curb removal.** One set of concrete compressive strength cylinders shall be made each week curb is installed. Four cylinders per test site will be required. Testing shall be subsidiary to this bid item. No street cuts shall be permitted during the removal or replacement of the curb without permission. Curb backfill and if required asphalt repairs shall be completed within 5 days of the new curb installation. (See attached curb replacement straight back curb and gutter detail for the modified straight back curb profile)

Pre-Bid Attendees:

Phoenix Concrete & Underground
Freeman Concrete
Terry Snelling Construction
Miles Excavating

Any other questions regarding this proposal shall be submitted to Margie Sullivan, Engineering Administrative Assistant, by email at msullivan@raymore.com or by phone at (816) 892-3020. There will be no questions allowed after June 22, 2017 at 5 p.m.

I hereby certify that the above have been considered and associated costs have been included in this bid.

Company Name: _____

By: _____

Title: _____

Address: _____

City, State, Zip: _____

Date: _____ Phone: _____

Signature of Bidder: _____

ADDENDUM MUST BE SUBMITTED WITH BID